

## For the Period October 18 to 24, 2016

Continued wet weather has resulted in very little harvest progress since the beginning of October. Eighty-two per cent of the 2016 crop has been combined, according to Saskatchewan Agriculture's weekly Crop Report. The five-year (2011-2015) average for this time of year is 99 per cent combined.

Many producers were out testing the crop, however only a small number of acres were able to be combined. The majority of the crop that was harvested had higher moisture percentages, and equipment was moving slowly through the fields due to wet soil conditions. The southeast has 90 per cent of the harvest in the bin. Eighty-five per cent of the crop is combined in the southwest, 80 per cent in the east-central and northwest regions, 73 per cent in the west-central, and 82 per cent in the northeast region.

Harvest Progress in SK Per cent Combined All Crops	
Oct 24/16	82
5 year avg. (2011-2015)	<b>99</b>
Oct 26/15	99
Oct 27/14	99
Oct 21/13	99
Oct 15/12	99
Oct 10/11	99
10 year avg. (2006-2015)	<b>96</b>

The majority of the snow has melted in the northern regions; however, wet soil conditions are delaying harvest. The southern and central regions received rain on the weekend and combines are at a stand-still again. The Moosomin area reported 25 mm, Weyburn 23 mm, Moose Jaw 62, Limerick 15 mm, Ponteix 21 mm, Bethune 24 mm and Outlook 22 mm.

### One Year Ago

Harvest was 99 per cent complete. There were some flax and oat fields left to combine.

Follow the Crop Report  
on Twitter  
@SKAgriculture

Saskatchewan Harvest October 24, 2016 % combined	
Winter wheat	100
Fall rye*	100
Spring wheat	81
Durum	77
Oats*	76
Barley**	89
Canaryseed	50
Flax	53
Canola	80
Mustard	79
Soybeans	72
Lentils**	97
Peas	100
Chickpeas	25
*includes five per cent 'other'	
**includes two per cent 'other'	

\*This is the last weekly Crop Report for the season.  
There will be a FINAL Crop Report released November 24, 2016, to capture any additional harvest progress and to summarize the crop year.

For further information, contact Daphne Cruise, PAg,  
Crop Management Specialist, Moose Jaw, Regional Services Branch,  
Toll Free: 1-866-457-2377 or 306-694-3587, E-mail: [cropreport@gov.sk.ca](mailto:cropreport@gov.sk.ca).  
Also available on the Ministry of Agriculture website at [www.saskatchewan.ca/crop-report](http://www.saskatchewan.ca/crop-report).

Provincially, cropland topsoil moisture is rated as 58 per cent surplus and 42 per cent adequate. Hay and pasture land topsoil moisture is rated as 31 per cent surplus and 69 per cent adequate. Producers are indicating that the soil will have to freeze before combines are able to get back onto the land in many areas, and at this time, are predicting there will be some crop left out over winter.

Rain and snow has lodged standing crops. Bleaching and sprouting are causing grade loss. Wet hay fields are delaying bale hauling. Cattle are coming home from pastures.

Saskatchewan Harvest by Crop District							
October 24, 2016							
% combined							
1A	99		4A	93		7A	63
1B	92		4B	88		7B	69
2A	97		5A	81		8A	72
2B	81		5B	73		8B	88
3ASE	98		6A	87		9AE	93
3ASW	77		6B	89		9AW	88
3AN	84					9B	77
3BS	84						
3BN	87						

#### Southeastern Saskatchewan:

- Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas
- Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu’Appelle areas
- Crop District 3ASE – Radville and Lake Alma areas

Although most producers continue to be stalled, a few were able to get out and combine canola, flax and some cereals this past week. The region has 90 per cent of the 2016 crop combined. The five year average for this time of year for the region is 99 per cent combined. Crop districts 1A has 99 per cent in the bin, 1B 92 per cent, 2A 97 per cent, 2B 81 per cent and 3ASE has 98 per cent of the crop in the bin.

Rain showers were reported with most areas. Precipitation ranged from trace amounts to 62 mm (Moose Jaw) mm for the week. Crops were harvested with high moisture and in many cases the ground is very wet making field accessibility difficult at best. The Moosomin area reported 25 mm, Weyburn 23 mm, Regina 34 mm, Indian Head 12 mm and Ceylon 8 mm.

Cropland topsoil moisture is rated as 50 per cent surplus and 50 per cent adequate. Hay land and pasture topsoil moisture is rated as 20 per cent surplus and 80 per cent adequate.

Crop damage is mainly attributed to weathering due to too much moisture. Lodging and waterfowl are causing crop loss. Grade loss is due to bleaching and sprouting. Some

have indicated that the ground may have to freeze before the fields will be accessible for equipment. Livestock producers were able to access fields in some areas allowing for feed to be hauled, although many fields have excess moisture and will have to wait for the ground to freeze to haul feed. Cattle are being moved home from pastures. Other fall field work such as weed control, fertilizer and manure application have also been put on hold. Although many producers have finished harvest in the region, others are needing a week of good weather to finish up.

### **Southwestern Saskatchewan:**

- Crop District 3ASW – Coronach, Assiniboia and Ogema areas
- Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas
- Crop District 3B – Kyle, Swift Current, Shaunavon and Ponteix areas
- Crop District 4 – Consul, Maple Creek and Leader areas

There were a couple of days where farmers were able to get back into the field and test out the crop and get some acres off the field. However, rain rolled through some of the region on the weekend, halting harvest once again. These acres were combined tough and did not come without challenges of plugging and getting stuck. Eighty-five per cent of the 2016 crop has been combined. The five year average for the region this time of year is 99 per cent combined. Crop district 3ASW is reporting 78 per cent of the crop is in the bin, 3AN and 3BS have 84 per cent combined, 3BN and 4B 87 per cent and 4A has 94 per cent of the crop on the bin.

Very little progress has been made with harvest, or any other fall field work since October 3. Rain reported for the week ranged from nil to 25 mm (south of Moose Jaw). The Limerick area reported 15 mm, Glenbain 18 mm, Lucky Lake 11 mm and Shaunavon 14 mm.

Cropland topsoil moisture conditions are rated as 60 per cent surplus and 40 per cent adequate. Hay land and pasture topsoil moisture is rated as 39 per cent surplus and 61 per cent adequate. Crop reporters have indicated field and road access conditions are very wet and moving through the field will be a challenge when the weather allows producers to get back onto the fields. The ground is going to have to freeze before harvest operations can continue. RM's have put road bans in place in some areas.

Most crop damage this week is due to weathering and lodging. Geese are starting to move onto crops that are still left out. Bleaching, sprouting and staining are also quality issues due to prolonged wet conditions.

### **East-Central Saskatchewan:**

- Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas
- Crop District 6A – Lumsden, Craik, Watrous and Clavet areas

It was a fairly damp and cloudy week for most in the region, although some were able to get out and test the crop. Most that was harvested this week was high moisture and had to be put into the grain dryer. Eighty per cent of the 2016 crop has been put into the bin. The five year average for this time of year is 99 per cent combined. Crop district 5A has 81 per cent combined, 5B 74 per cent and crop district 6A has 87 per cent harvested.

Precipitation ranged from nil to 24 mm (Bethune). The Esterhazy and Kamsack areas reported 16 mm, Pelly 8 mm, Craven 17 mm and Semans 19 mm.

Topsoil moisture conditions on cropland are rated as 51 per cent surplus and 49 per cent adequate. Hay land and pasture topsoil moisture is rated as 43 per cent surplus and 57 per cent adequate.

The majority of crop damage this past week was caused severe wet weather causing lodging, bleaching, staining and sprouting. There are many areas with flooded crop. Producers have indicated field conditions are very saturated and it will be difficult to navigate equipment if they do get back into the field. Most have indicated that the ground will have to freeze before the land is able to support equipment. Some producers were able to haul bales. There are reports of farmers buying driers and adding tires to equipment.

#### **West-Central Saskatchewan:**

- Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas
- Crop District 7A – Rosetown, Kindersley, Eston, Major
- Crop District 7B - Kerrobert, Macklin, Wilkie and Biggar areas

Crop districts 7A and 7B missed most of the rain, and combines were able to move again in some areas for a day or two. Crop district 6B received rain ranging from nil to 22 mm (Outlook). The crop that did come off was tough and damp and so had to be put into driers or aeration. However, not many producers have access to driers and so this grain management is usually something that they don't have to deal with in a much drier part of the province, usually. Most of the acres that came off were canola. Seventy-three per cent of the crop in the bin. The five year average for this time of year is 99 per cent combined. Crop district 6B is reporting 89 per cent combined, while CD's 7A and 7B have 63 and 69 per cent combined, respectively.

Total precipitation recorded ranged from nil to 22 mm (Outlook). The Dinsmore area reported 15 mm, Kindersley 7 mm and Harris and Smiley 2 mm.

Topsoil moisture conditions on cropland are rated as 54 per cent surplus and 46 per cent adequate. Hay land and pasture topsoil moisture is rated as 24 per cent surplus and 76 per cent adequate.

Crop damage this week was caused by continued wet conditions which has lodged, sprouted and bleached the crop that is still out in the field. Many crops are laying flat on the ground. Wildlife is also causing crop loss and damage. Sunny and dry weather is

needed for several days before conditions will be adequate to get back into the field, and with that combines will be moving slow in very wet and soft fields. Equipment is leaving large ruts in the field. Most producers are expecting to harvest the remainder of the crop with higher moisture and manage it in the bin with aeration and drying. The ground will have to freeze before soil conditions are stable enough to continue harvest. Straw baling and bale hauling is also delayed due to weather and crops still left out.

#### **Northeastern Saskatchewan:**

- Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas
- Crop District 9AE – Prince Albert, Choceland and Paddockwood areas

It was a dry week for a change and a few combines were able to get back at it and get some acres off the field. Eighty-two per cent of the crop has been combined. The five year average for this time of year is 99 per cent combined. Crop district 8A has 72 per cent of the crop combined, 8B has 88 per cent combined and 9AE has 93 per cent of the crop in the bin.

Most areas reported no precipitation for the week. Cropland topsoil moisture conditions are rated as 77 per cent surplus and 23 per cent adequate. Hay land and pasture topsoil moisture is rated as 63 per cent surplus and 37 per cent adequate.

Most crop damage this past week is attributed to the continuous wet conditions and snow that has lodged the crop in the field. Grade loss on account of wet harvest weather is also quality issues and downgrades from bleaching and sprouting. Field conditions remain very wet. The warmer temperatures have allowed for most of the snow to melt. Dry and sunny weather is needed for the next several days to continue with harvest and dry the swaths during the day. Although freezing temperatures is what's needed for access onto very wet fields.

#### **Northwestern Saskatchewan:**

- Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas
- Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas

Warmer temperatures throughout the week has melted the snow in some areas, although the Rabbit Lake and Meadow Lake areas still have three to four inches of snow still in the field. There were a few reports of combines moving on canola and flax. There has been some swathing of wheat in hopes that it will fare better in swath compared to standing if it stays out over winter. Eighty per cent of the crop is in the bin. The five year average for this time of year is 98 per cent harvested. Crop district 9AW has 92 per cent harvested while 9B has 77 per cent harvested.

Very little rain was reported in the region over the past week. However, cloudy days and little drying potential has halted field work. The Hafford area recorded 5 mm and the Neilburg and Turtleford areas reported 3 and 2 mm, respectively.

Cropland topsoil moisture is rated as 42 per cent surplus and 58 per cent adequate. Hayland and pasture topsoil moisture is rated as 34 per cent surplus and 66 per cent adequate.

Crop damage is due to rain and snow causing bleaching, sprouting and lodging. Waterfowl and wildlife are starting to move in on the crop that is still left to harvest. Warm temperatures are needed to melt the snow before producers can assess whether they are able to get back into the fields with the combines this fall. Most have indicated the ground will need to freeze before harvest can continue. Many fields are too wet to haul bales.

### Saskatchewan Harvest Progress - October 24, 2016

\*Other - crop that will not be harvested due to weather, insect or disease damage or will be greenfeed



<b>Winter Wheat</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	0	0	0	100	
southwest	0	0	0	100	
east central	0	0	0	100	
west central	0	0	0	100	
northeast	0	0	0	100	
northwest	N/A	N/A	N/A	N/A	
<b>provincial</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>100</b>	
<b>Fall Rye</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	0	0	0	100	
southwest	0	0	0	100	
east central	0	0	0	100	
west central	0	0	0	100	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
<b>provincial</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>100</b>	
<b>Spring Wheat</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	<b>% other</b>
southeast	2	2	4	92	
southwest	4	2	11	83	
east central	3	6	5	86	
west central	11	7	17	62	3
northeast	1	2	6	91	
northwest	4	4	8	84	
<b>provincial</b>	<b>5</b>	<b>5</b>	<b>9</b>	<b>81</b>	
<b>Durum</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	<b>% other</b>
southeast	3	2	4	91	
southwest	4	1	15	80	
east central	1	6	8	85	
west central	10	8	28	54	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
<b>provincial</b>	<b>5</b>	<b>2</b>	<b>16</b>	<b>77</b>	
<b>Barley</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	<b>% other (greenfeed/silage)</b>
southeast	0	0	3	95	2
southwest	0	0	2	93	5
east central	3	5	2	90	0
west central	6	3	14	76	1
northeast	0	0	1	97	2
northwest	2	3	4	90	1
<b>provincial</b>	<b>3</b>	<b>4</b>	<b>6</b>	<b>87</b>	<b>2</b>
<b>Oats</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	<b>% other (greenfeed)</b>
southeast	2	1	3	91	3
southwest	5	3	11	71	10
east central	4	22	5	69	0
west central	21	10	6	55	8
northeast	2	4	16	78	0
northwest	2	3	4	78	13
<b>provincial</b>	<b>4</b>	<b>8</b>	<b>8</b>	<b>76</b>	<b>4</b>

<b>Canaryseed</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>
southeast	12	0	22	66
southwest	24	4	24	48
east central	37	13	19	31
west central	24	0	24	52
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A
<b>provincial</b>	<b>19</b>	<b>3</b>	<b>28</b>	<b>50</b>
<b>Flax</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>
southeast	10	3	18	69
southwest	29	0	30	41
east central	24	15	21	40
west central	47	12	18	23
northeast	24	25	11	40
northwest	5	12	8	75
<b>provincial</b>	<b>22</b>	<b>10</b>	<b>15</b>	<b>53</b>
<b>Canola</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>
southeast	1	6	4	89
southwest	4	8	4	84
east central	2	8	8	82
west central	3	16	4	77
northeast	0	20	5	75
northwest	1	14	5	80
<b>provincial</b>	<b>2</b>	<b>14</b>	<b>4</b>	<b>80</b>
<b>Mustard</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>
southeast	0	0	2	98
southwest	4	2	9	85
east central	0	0	18	82
west central	4	18	9	69
northeast	N/A	N/A	N/A	N/A
northwest	N/A	N/A	N/A	N/A
<b>provincial</b>	<b>4</b>	<b>13</b>	<b>4</b>	<b>79</b>
<b>Soybeans</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>
southeast	7	0	9	84
southwest	N/A	N/A	N/A	N/A
east central	20	0	35	45
west central	18	0	6	76
northeast	0	0	26	74
northwest	N/A	N/A	N/A	N/A
<b>provincial</b>	<b>10</b>	<b>0</b>	<b>18</b>	<b>72</b>
<b>Field Peas</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>
southeast	0	0	0	100
southwest	0	0	0	100
east central	0	0	0	100
west central	0	0	0	100
northeast	0	0	0	100
northwest	0	0	0	100
<b>provincial</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>100</b>



# Crop Districts and Rural Municipalities in Saskatchewan

- Regional Service Office
- Regional Satellite Office
- ▭ Crop District
- ▭ Rural Municipality




Data Source:  
Crop Districts - Saskatchewan Ministry of Agriculture

Geomatic Services, Ministry of Agriculture June 10, 2014

# Weekly Rainfall

from October 18 to October 24, 2016



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



# Weekly Rainfall Summary

(in millimeters)

1 inch = 25 mm

for the period Oct 18 to 24, 2016

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	2	513	4A	49	White Valley	N/A	450	7A	287	St. Andrews	NIL	537
	3	Enniskillen	NIL	461		51	Reno	N/A	343		288	Pleasant Valley	N/A	400
	33	Moose Creek	5	449		79	Arlington	14	452		290 A	Kindersley	0.5	392
	34	Browning	N/A	488		109 A	Carmichael	N/A	356		290 B	Kindersley	N/A	394
	61	Antler	N/A	466		109 B	Carmichael	N/A	216		290 C	Kindersley	N/A	320
	64	Brock	3	362		110	Piapot	N/A	466		292	Milton	N/A	559
1B	65	Tecumseh	N/A	335	111	Maple Creek	N/A	317	317 A	Marriott	N/A	473		
	91	Maryfield	12	576	139	Gull Lake	NIL	511	317 B	Marriott	2	382		
	122	Martin	25	573	142	Enterprise	N/A	108	318	Mountain View	2	545		
	123	Silverwood	18	443	169	Pittville	N/A	485	320 A	Oakdale	7	371		
	124 A	Kingsley	20	460	231	Happyland	NIL	560	320 B	Oakdale	NIL	427		
	124 B	Kingsley	N/A	N/A	5A	183	Fertile Belt	16	531	321	Prairiedale	2	504	
	125 A	Chester	20	545	211	Churchbridge	8	475	7B	347	Biggar	NIL	417	
	125 B	Chester	23	506	213	Saltcoats	2	345		350 A	Mariposa	NIL	521	
	151	Rocanville	17	540	241	Calder	7	431		350 B	Mariposa	2	330	
	154	Elcapo	15	425	243	Wallace	8	410		351	Progress	NIL	427	
155	Wolseley	23	497	244	Orkney	N/A	403	352		Heart's Hill	NIL	517		
2A	67	Weyburn	13	381	245 A	Garry	N/A	450		377	Glenside	NIL	405	
	68	Brokenshell	8	449	245 B	Garry	2	410		378	Rosemount	NIL	526	
	97	Wellington	23	418	245 C	Garry	N/A	354		379	Reford	1	402	
2B	127 A	Francis	15.5	381	246	Ituna Bon Accord	4	394		381	Grass Lake	1	289	
	127 B	Francis	12.5	346	247	Kellross	4	416		382	Eye Hill	NIL	448	
	129	Bratt's Lake	24	424	248	Touchwood	3	409	409	Buffalo	N/A	125		
	131 A	Baildon	26	553	5B	271	Cote	16	480	410	Round Valley	N/A	358	
	131 B	Baildon	62	663	273	Sliding Hills	20	406	8A	395	Porcupine	N/A	674	
	156 A	Indian Head	12.3	401	277	Emerald	3	506	397	Barrier Valley	N/A	436		
	156 B	Indian Head	20	485	305	Invermay	3	479	428	Star City	NIL	480		
	159	Sherwood	34	451	307	Elfros	7	627	456	Arborfield	NIL	598		
	160	Pense	25	410	308 A	Big Quill	NIL	473	457	Connaught	NIL	602		
	161	Moose Jaw	25	516	308 B	Big Quill	6	399	486	Moose Range	NIL	528		
3ASE	162	Caron	24	548	331	Livingston	8	583	487	Nipawin	1	644		
	191	Marquis	17	511	336	Sasman	5	436	8B	369	St. Peter	N/A	281	
	38 A	Laurier	5.5	474	337	Lakeview	N/A	537	370 A	Humboldt	NIL	422		
	38 B	Laurier	6	409	338	Lakeside	N/A	501	370 B	Humboldt	N/A	289		
	39	The Gap	8	504	366	Kelvington	2	621	371	Bayne	NIL	397		
	3ASW	10	Happy Valley	2	447	367	Ponass Lake	N/A	450	372	Grant	NIL	301	
		12	Poplar Valley	12	458	6A	190 A	Dufferin	20	655	400	Three Lakes	N/A	429
		40	Bengough	NIL	390	190 B	Dufferin	22	592	402	Fish Creek	NIL	393	
	3AN	42	Willow Bunch	7	466	190 C	Dufferin	24	472	429	Flett's Springs	NIL	359	
		43	Old Post	3	405	190 D	Dufferin	8	321	459	Kinistino	NIL	400	
73 A		Stonehenge	15	537	219 A	Longlaketon	N/A	539	460	Birch Hills	N/A	312		
73 B		Stonehenge	N/A	553	219 B	Longlaketon	17	485	9AE	488	Torch River	NIL	440	
102		Lake Johnston	22.4	446	220	McKillop	8	423	520	Paddockwood	N/A	188		
103		Sutton	22	460	221 A	Sarnia	15.9	473	521	Lakeland	N/A	188		
132 A		Hillsborough	20	493	221 B	Sarnia	N/A	349	9AW	406	Mayfield	1	296	
132 B		Hillsborough	25	650	222	Craik	11	477	435	Redberry	5	393		
134		Shamrock	N/A	17	251	Big Arm	3.75	351	436	Douglas	NIL	231		
193 A		Eyebrow	12	477	252	Arm River	11	383	463	Duck Lake	NIL	302		
3BS	193 B	Eyebrow	N/A	385	279	Mount Hope	NIL	407	467 A	Round Hill	NIL	414		
	17	Val Marie	N/A	444	282	McCraney	19	464	467 B	Round Hill	NIL	365		
	18	Lone Tree	15	585	312	Morris	NIL	508	494	Canwood	NIL	337		
	75	Pinto Creek	18	570	313	Lost River	NIL	322	9B	438	Battle River	NIL	394	
	76	Auvergne	21	488	339	Leroy	0.8	404	440	Hillsdale	NIL	237		
	77	Wise Creek	N/A	464	340	Wolverine	1	414	442	Manitou Lake	3.2	330		
	78	Grassy Creek	11	392	341	Viscount	N/A	225	498 A	Parkdale	NIL	333		
	105	Glenbain	18	586	343 A	Blucher	N/A	234	498 B	Parkdale	NIL	91		
	106	Whiska Creek	11	519	343 B	Blucher	N/A	333	499 A	Mervin	NIL	360		
	107	Lac Pelletier	NIL	539	6B	223 A	Huron	N/A	411	499 B	Mervin	N/A	N/A	
3BN	108	Bone Creek	NIL	527	223 B	Huron	20	463	501 A	Frenchman Butte	NIL	371		
	138 A	Webb	2	697	284 A	Rudy	22	505	501 B	Frenchman Butte	2	291		
	138 B	Webb	N/A	514	285 B	Rudy	15	505	501 C	Frenchman Butte	NIL	456		
	166	Excelsior	N/A	566	285 A	Fertile Valley	17	555	502	Britannia	N/A	284		
	167	Sask. Landing	1	568	285 B	Fertile Valley	18	482	561	Loon Lake	N/A	373		
	168 A	Riverside	NIL	589	286	Mildern	15	497	588 A	Meadow Lake	N/A	430		
	168 B	Riverside	NIL	416	314	Dundurn	12	429	588 B	Meadow Lake	NIL	296		
	226	Victory	11	427	344	Corman Park	NIL	362	622	Beaver River	N/A	350		
	228	Lacadena	NIL	505	346	Perdue	2	446						
	257	Monet	NIL	645	376	Eagle Creek	NIL	404						
				403	Rosthern	NIL	329							


These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Municipality No: A, B, C and D - more than one reporter


# Cumulative Rainfall

from April 1 to October 24, 2016

## Rainfall (mm)




**\*Legend adjusted from normal ranges to account for excessive seasonal rainfall.**



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

# Cropland Topsoil Moisture Conditions

October 24, 2016




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



# Hay and Pasture Topsoil Moisture Conditions


## October 24, 2016




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

# Minimum Temperature

from October 18 to October 24, 2016




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Data Sources:  
 Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.  
 Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada  
 IDW interpolation (power 3.5, fixed radius 300 km)  
 Geomatics Services, Ministry of Agriculture October 26, 2016

# Maximum Temperature

from October 18 to October 24, 2016



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.